






| Item no. | Part no | Reference | Description                 |
|----------|---------|-----------|-----------------------------|
| 1        |         | ►1        | Control panel               |
| 2        |         | ►2        | Electrical installation     |
| 3        |         | ►3        | Clima Plus                  |
| 4        |         | ►4        | Steam generator, Bypass     |
| 5        |         | ►5        | Hot air heating             |
| 6        |         | ►6        | Motor and fan wheel         |
| 7        |         | ►7        | Interior cabinet            |
| 8        |         | ►8        | Door                        |
| 9        |         | ►9        | Water supply, quenching box |
| 12       |         | ►12       | Gas parts                   |
| 13       |         | ►13       | Exterior cabinet            |
| 14       |         | ►14       | Miscellaneous               |
| 15       |         | ►15       | Voltage depending parts     |


|           |                                         |           |
|-----------|-----------------------------------------|-----------|
| <b>1</b>  | <b>Control panel .....</b>              | <b>3</b>  |
| 1.A       | Control panel.....                      | 4         |
| <b>2</b>  | <b>Electrical installation .....</b>    | <b>5</b>  |
| 2.A       | - EM CM 202/G 1NAC230V50-60 01/04 ..... | 6         |
| <b>3</b>  | <b>Clima Plus.....</b>                  | <b>7</b>  |
| <b>4</b>  | <b>Steam generator, Bypass .....</b>    | <b>8</b>  |
| 4.A       | Pump connection .....                   | 10        |
| 4.B       | Venting valve for steam generation..... | 11        |
| <b>5</b>  | <b>Hot air heating .....</b>            | <b>12</b> |
| 5.A       | Burner hot air .....                    | 13        |
| <b>6</b>  | <b>Motor and fan wheel .....</b>        | <b>14</b> |
| <b>7</b>  | <b>Interior cabinet .....</b>           | <b>15</b> |
| 7.A       | Gasket frame w. glass a. gaskets .....  | 16        |
| 7.B       | Air baffle.....                         | 17        |
| <b>8</b>  | <b>Door .....</b>                       | <b>18</b> |
| 8.A       | Door .....                              | 20        |
| 8.B       | Door catch.....                         | 21        |
| <b>9</b>  | <b>Water supply, quenching box.....</b> | <b>22</b> |
| <b>12</b> | <b>Gas parts .....</b>                  | <b>23</b> |
| 12.A      | Gas valve cpl. ND 055 RG148 .....       | 25        |
| 12.B      | Gas valve cpl. WND 055 RG130.....       | 26        |
| <b>13</b> | <b>Exterior cabinet.....</b>            | <b>27</b> |
| 13.A      | - P-Außenkasten CD 202/G 01/04 .....    | 28        |
| <b>14</b> | <b>Miscellaneous .....</b>              | <b>29</b> |
| <b>15</b> | <b>Voltage depending parts .....</b>    | <b>30</b> |




| Item no. | Part no   | Reference | Description                       |
|----------|-----------|-----------|-----------------------------------|
| A        | 16.00.677 | ►1.A      | Control panel                     |
| 1        | 87.00.003 |           | Control panel insert with overlay |



| Item no. | Part no   | Reference | Description                                 |
|----------|-----------|-----------|---------------------------------------------|
| 1        | 42.00.004 |           | Control pcb                                 |
| 2        | 1104.0121 |           | Hex nut M4 self locking                     |
| 3        | 10.00.355 |           | Spacer black                                |
| 4        | 2020.0400 |           | Fixing device for cable harness             |
| 5        | 16.00.282 |           | Dial                                        |
| 6        | 5110.1027 |           | Distance plate for front panel              |
| 7        | 3006.0107 |           | Buzzer                                      |
| 8        | 5110.1028 |           | Gasket poti hot air, core temperature       |
| 9        | 40.00.464 |           | Potentiometer CT                            |
| 10       | 16.00.385 |           | Mounting device f. sealing lip panel insert |
| 11       | 16.00.386 |           | Sealing lip f. panel insert                 |
| 12       | 1306.0218 |           | Washer A4,3                                 |
| 13       | 5110.1029 |           | Gasket mode switch                          |




| Item no. | Part no    | Reference | Description                                |
|----------|------------|-----------|--------------------------------------------|
| A        | _40.00.514 | ►2.A      | - EM CM 202/G 1NAC230V50-60 01/04          |
| 1        | 4007.0620  |           | Membrane DGC 29                            |
| 2        | 10.00.510  |           | Durchführungsstülle 10/12/16-2             |
| 3        | 42.00.007  |           | External memory                            |
| 4        | 1104.0801  |           | Cage nut M4                                |
| 5        | 10.00.243  |           | Spacer M4x8                                |
| 6        | 1104.0120  |           | Hex nut M4                                 |
| 7        | 40.01.579  |           | - Platinenhalteclip 61-202 m. Nase 01/04   |
| 8        | 10.00.112  |           | Cable clip short                           |
| 9        | 10.00.111  |           | Cable clip long                            |
| 10       | 10.00.471  |           | Cable clip d10-12mm                        |
| 11       | 40.01.596  |           | Power supply cable 3x2,5mm <sup>2</sup> 3m |
| 12       | 40.00.320  |           | Cable connection M20x1.5                   |
| 13       | 1106.0160  |           | Hex nut M6                                 |
| 14       | 1206.0120  |           | Tooth lock washer A6,4                     |
| 15       | 4002.0110  |           | Cable connector, junction                  |
| 16       | 40.01.132  |           | - Zugstab f. Tragelement 201/202 01/04     |
| 17       | 1106.0224  |           | Hex nut M6 self locking                    |
| 18       | 40.00.471  |           | Bus cable 0.8m                             |
| 18       | 40.00.472  |           | Bus cable 1.3m                             |
| 18       | 40.01.091  |           | Bus cable 0.4m                             |
| --       | 42.00.030  |           | - Memory-Stick CM 01/04                    |




| Item no. | Part no     | Reference | Description                           |
|----------|-------------|-----------|---------------------------------------|
| 1        | 3014.0328   |           | Dry up protector 275°F/135°C          |
| 2        | 3014.0302   |           | Hex nut M10 for dry-up protector      |
| 3        | 40.00.605   |           | Safety temperature limiter 365°C      |
| 4        | 3014.0327   |           | Hex nut M10x1,0                       |
| 5        | 40.00.451   |           | Contactor MC1A 310 AH6                |
| 6        | 40.00.474   |           | Cooling fan D.C.                      |
| 7        | 10.00.238   |           | Screw Torx 4x50                       |
| 8        | 40.00.333   |           | Halogen transformer                   |
| 9        | 40.01.483   |           | Electronic noise filter               |
| 10       | 4001.0224   |           | Fuse 6.35x32mm                        |
| 11       | 4001.1295   |           | Fuse holder e 1003Si/1DS              |
| 12       | 40.00.592   |           | Transformer f. cooling fan            |
| 13       | 1105.0120   |           | Hex nut M5                            |
| 14       | 1305.0160   |           | Washer A5,3 x 10 mm                   |
| 15       | 4001.1203   |           | End plate for mounting rail           |
| 16       | 2620.370233 |           | Installation rail for Contactor 100mm |
| 17       | 2816.1307   |           | Installation rail for Contactor 140mm |
| 18       | 10.00.111   |           | Cable clip long                       |
| 19       | 10.00.061   |           | Pan head screw Torx T20 M4x12         |
| 20       | 40.01.485   |           | Cable burner blower                   |
| 20       | 40.00.221   |           | Cable burner blower                   |
| 20       | 40.00.212   |           | Cable buzzer                          |
| 20       | 40.00.218   |           | Cable control harness                 |
| 20       | 40.00.230   |           | Cable gas valve                       |
| 20       | 40.00.219   |           | Cable SC pump                         |
| 20       | 40.00.220   |           | Cable solenoid valve                  |

**Attention!** Individual parts shown might not be used in this component group!

► 15\* Voltage depending parts shown in chapter 15



| Item no. | Part no   | Reference | Description        |
|----------|-----------|-----------|--------------------|
| 1        | 22.00.324 |           | Safety valve       |
| 2        | 22.00.214 |           | Hose d50x195       |
| 3        | 2066.0531 |           | Hose clamp ø56     |
| 4        | 2001.0124 |           | Compression spring |



| Item no. | Part no    | Reference | Description                             |
|----------|------------|-----------|-----------------------------------------|
| A        | _8354.1320 | ►4.A      | Pump connection                         |
| B        | 8354.1304  | ►4.B      | Venting valve for steam generation      |
| 1        | 44.00.287  |           | Filling level electrode 135mm           |
| 2        | 44.00.187  |           | Steam generator insolated               |
| 3        | 72.00.011  |           | Burner steam gen.                       |
| 4        | 72.00.048  |           | Insulation f. burner steam gen.         |
| 5        | 1104.0122  |           | Hex combination nut M4 galv             |
| 6        | 72.00.020  |           | Gasket f. burner carrier                |
| 7        | 1105.0121  |           | Hex combination nut M5 galv             |
| 8        | 44.00.249  |           | Ignition electrode steam generator      |
| 9        | 1104.0120  |           | Hex nut M4                              |
| 10       | 44.00.250  |           | Gasket f. ignition electrode            |
| 11       | 2066.0519  |           | Hose clamp 35,6mm                       |
| 12       | 2066.0526  |           | Hose clamp $\varnothing$ 46mm           |
| 13       | 44.00.207  |           | Emptying pump                           |
| 14       | 1006.0762  |           | Hex screw M6x10                         |
| 15       | 1306.0222  |           | Washer A6.4x15x1.5                      |
| 16       | 44.00.226  |           | Fixing device f. pump steam generator   |
| 17       | 1106.0803  |           | Hex combination nut M6 galv             |
| 18       | 44.00.238  |           | Drain hose steam generator              |
| 19       | 2066.0518  |           | Hose clamp 30mm                         |
| 20       | 40.01.095  |           | Thermocouple steam gen. (B5)            |
| 21       | 44.00.517  |           | Fixing plate steam generator thermostat |
| 22       | 44.00.362  |           | Steam hose 70x5                         |
| 23       | 2066.0505  |           | Hose clamp 70-90mm                      |
| 24       | 2066.0506  |           | Hose clamp 20-32mm                      |

**Attention!** Individual parts shown might not be used in this component group!

► 15\* Voltage depending parts shown in chapter 15





**CM 202 G**

**Valid as of G22ME0404 up to G22ME....**

Gas unit

**► 4 Steam generator, Bypass**

**4**


4 Steam generator, Bypass

Voltage **1 NAC 230V 50-60Hz**


| Item no. | Part no   | Reference | Description            |
|----------|-----------|-----------|------------------------|
| 25       | 1105.0120 |           | Hex nut M5             |
| 26       | 1205.0120 |           | Tooth lock washer A5,3 |

**Attention!** Individual parts shown might not be used in this component group!


► 15\* Voltage depending parts shown in chapter 15




| Item no. | Part no   | Reference | Description                  |
|----------|-----------|-----------|------------------------------|
| 1        | 2118.1000 |           | Pump connection spout        |
| 2        | 2120.1259 |           | Stop plug 10mm               |
| 3        | 2066.0527 |           | Hose clamp ø14mm             |
| 4        | 2066.0530 |           | Hose clamp ø16.4mm           |
| 5        | 2062.0331 |           | Junction pressure hose GS 10 |
| 6        | 4005.0101 |           | Tie rap 145 mm               |
| 7        | 2110.1008 |           | Silicon hose ø10x2mm         |




| Item no. | Part no   | Reference | Description                                  |
|----------|-----------|-----------|----------------------------------------------|
| 1        | 2062.0332 |           | Receptacle for ventilation valve SG          |
| 2        | 2069.0108 |           | Ventilation valve                            |
| 3        | 2112.1310 |           | Form hose for ventilation of steam generator |
| 4        | 2066.0506 |           | Hose clamp 20-32mm                           |




| Item no. | Part no   | Reference | Description                                    |
|----------|-----------|-----------|------------------------------------------------|
| A        | 74.00.243 | ►5.A      | Burner hot air                                 |
| 1        | 74.00.180 |           | Hot air heat exchanger below                   |
| 2        | 74.00.183 |           | Hot air heat exchanger top                     |
| 3        | 74.00.234 |           | Gasket hot air heat exchanger/interior cabinet |
| 4        | 74.00.313 |           | Mating flange heat exchanger                   |
| 5        | 74.00.318 |           | Gasket f. heat exchanger top                   |
| 6        | 74.00.296 |           | Gasket f. heat exchanger below                 |
| 7        | 1105.0122 |           | Hex combination nut M5 V2A                     |




| Item no. | Part no   | Reference | Description                   |
|----------|-----------|-----------|-------------------------------|
| 1        | 74.00.343 |           | Burner welded hot air         |
| 2        | 74.00.230 |           | Ignitionelectrode1 f. hot air |
| 3        | 74.00.235 |           | Ignitionelectrode2 f. hot air |
| 4        | 74.00.290 |           | Gasket electrode hot air      |
| 5        | 10.00.060 |           | Pan head screw Torx M4x6      |



| Item no. | Part no   | Reference | Description                           |
|----------|-----------|-----------|---------------------------------------|
| 1        | 2120.1306 |           | Spacer SW19x17                        |
| 2        | 22.00.123 |           | Flange f. motor shaft gasket          |
| 3        | 22.00.120 |           | Mounting support f. gasket flange     |
| 4        | 22.00.083 |           | Motor shaft gasket                    |
| 5        | 1315.0101 |           | Copper washer 6x10                    |
| 6        | 1106.0220 |           | Hex nut M6 flat                       |
| 7        | 22.00.192 |           | Fan wheel d340x135                    |
| 8        | 1008.0763 |           | Hex screw M8x20                       |
| 9        | 40.00.274 |           | Fan motor                             |
| 10       | 1108.0260 |           | Hex nut M8                            |
| 11       | 1208.0260 |           | Spring washer B8                      |
| 12       | 1008.1005 |           | Square necked mushroom head bolt 8x40 |




| Item no. | Part no   | Reference | Description                              |
|----------|-----------|-----------|------------------------------------------|
| A        | 40.00.091 | ►7.A      | Gasket frame w. glass a. gaskets         |
| B        | 22.00.298 | ►7.B      | Air baffle                               |
| 1        | 40.00.098 |           | Reflector f. interior light              |
| 2        | 4001.1248 |           | Porcelain connector 2-pin interior light |
| 3        | 20.00.399 |           | Door gasket                              |
| 4        | 3024.0201 |           | Halogen bulb for interior cabinet        |
| 5        | 40.00.298 |           | Meat probe sensor                        |
| 6        | 10.00.422 |           | Hex nut M16                              |
| 7        | 1315.0104 |           | Copper washer 16x20x1,5                  |
| 8        | 22.00.222 |           | Air baffle support                       |
| 9        | 40.00.229 |           | Wiring interior light                    |
| 10       | 3014.0162 |           | Sealing cone for thermocouple            |
| 11       | 3014.0163 |           | Gasket sleeve with nipple                |
| 12       | 40.01.099 |           | Thermocouple interior cabinet (B1)       |
| 13       | 2005.0308 |           | Outlet sieve                             |




| Item no. | Part no   | Reference | Description                    |
|----------|-----------|-----------|--------------------------------|
| 1        | 40.00.093 |           | Outer gasket f. interior light |
| 2        | 40.00.094 |           | Inner gasket f. interior light |
| 3        | 40.00.095 |           | Glass pane f. interior light   |
| 4        | 40.00.096 |           | Gasket frame f. interior light |





| Item no. | Part no   | Reference | Description                    |
|----------|-----------|-----------|--------------------------------|
| 1        | 1304.0160 |           | Washer A4,3                    |
| 2        | 1604.0167 |           | Rivet 4x10                     |
| 3        | 22.00.332 |           | Air sucking ring f. air baffle |
| 4        | 2760.1370 |           | Latch hook for air baffle      |
| 5        | 40.01.289 |           | Fixing clip core temp. cable   |
| 6        | 1603.0168 |           | Rivet 3,2x8 A4                 |



| Item no. | Part no   | Reference | Description                             |
|----------|-----------|-----------|-----------------------------------------|
| A        | 24.00.126 | ►8.A      | Door                                    |
| B        | 8514.1307 | ►8.B      | Door catch                              |
| 1        | 2001.0042 |           | Loctite 243 10 ml                       |
| 2        | 2001.0046 |           | Loctite 272                             |
| 3        | 24.00.136 |           | Door handle                             |
| 4        | 8474.1410 |           | Door lock                               |
| 5        | 1005.1901 |           | Straight pin ø5,6x16                    |
| 6        | 1006.0761 |           | Hex screw M6x12                         |
| 7        | 1206.0261 |           | Spring washer B6                        |
| 8        | 2940.1305 |           | Door bolt                               |
| 9        | 1008.1963 |           | Hex socket countersunk head screw M8x16 |
| 10       | 2039.0309 |           | Cover cap for door                      |
| 11       | 1004.0665 |           | Allen screw M4x6                        |
| 12       | 24.00.133 |           | Door mounting support top               |
| 13       | 1008.0768 |           | Ornamental screw M8x16                  |
| 14       | 1308.0160 |           | Washer A8,4                             |
| 15       | 24.00.145 |           | Door bolt                               |
| 16       | 1008.0766 |           | Hex screw M8x30                         |
| 17       | 1308.0162 |           | Washer A8.4                             |
| 18       | 24.00.048 |           | Door bolt                               |
| 19       | 1008.0769 |           | Ornamental screw M8x30                  |
| 20       | 2001.0109 |           | Compression spring                      |
| 21       | 1008.0761 |           | Hex screw M8x25                         |
| 22       | 1208.0260 |           | Spring washer B8                        |
| 23       | 24.00.216 |           | Mounting bracket f. door lock           |
| 24       | 1008.0752 |           | Hex screw M5x10                         |

**Attention!** Individual parts shown might not be used in this component group!

► 15\* Voltage depending parts shown in chapter 15



**CM 202 G**

**Valid as of G22ME0404 up to G22ME....**

Gas unit

► **8 Door**

**8**


8 Door

Voltage **1 NAC 230V 50-60Hz**


| Item no. | Part no   | Reference | Description         |
|----------|-----------|-----------|---------------------|
| 25       | 1305.0160 |           | Washer A5,3 x 10 mm |

**Attention!** Individual parts shown might not be used in this component group!


► 15\* Voltage depending parts shown in chapter 15




| Item no. | Part no   | Reference | Description                |
|----------|-----------|-----------|----------------------------|
| 1        | 24.00.212 |           | Inner glass pane           |
| 2        | 24.00.147 |           | Sleeve for door bolt top   |
| 3        | 24.00.159 |           | Door setting bolt          |
| 4        | 24.00.503 |           | Fixing device f. magnet    |
| 5        | 24.00.194 |           | Gasket glass pane/trolley  |
| 6        | 24.00.178 |           | Pre heat mechanism f. door |
| 7        | 24.00.507 |           | Scheibenhalter mitte       |



| Item no. | Part no   | Reference | Description                |
|----------|-----------|-----------|----------------------------|
| 1        | 5012.0711 |           | Silicone plate for door    |
| 2        | 1006.1000 |           | Stud bolt M6x75            |
| 3        | 1306.0550 |           | Washer A6,6                |
| 4        | 1004.0904 |           | Hex socket set screw M6x10 |
| 5        | 1106.0160 |           | Hex nut M6                 |



| Item no. | Part no   | Reference | Description                                 |
|----------|-----------|-----------|---------------------------------------------|
| 1        | 54.00.210 |           | Exhaust pipe                                |
| 2        | 2066.0516 |           | Hose clamp 60-80 mm                         |
| 3        | 40.00.398 |           | Thermocouple quenching                      |
| 4        | 50.00.316 |           | Single solenoid valve                       |
| 5        | 50.00.139 |           | Single solenoid valve                       |
| 6        | 50.00.073 |           | Water distribution vert w/o roll guide con. |
| 7        | 50.00.277 |           | Mounting device f. water distribution       |
| 8        | 50.00.086 |           | Locking plate f. water distribution         |
| 9        | 50.00.078 |           | Non return valve DW16/DN12                  |
| 10       | 1900.0202 |           | Water filter                                |
| 11       | 2067.0050 |           | Pressure hose d10mm                         |
| 12       | 2066.0205 |           | Hose clamp 8-16x9 mm SW 7mm                 |
| 13       | 8664.1301 |           | T-fitting water connection                  |
| 14       | 5110.1024 |           | Gasket for G3/4" threaded joint             |
| 15       | 54.00.237 |           | Inspection lid f. quenching chamber         |
| 16       | 5012.0566 |           | Gasket quenching chamber O-ring             |
| 17       | 54.00.225 |           | Clamping bar                                |
| 18       | 2016.0943 |           | Quenching nozzle                            |
| 19       | 2112.1307 |           | Steam hose 70x5mm                           |



| Item no. | Part no   | Reference | Description                       |
|----------|-----------|-----------|-----------------------------------|
| A        | 70.00.068 | ►12.A     | Gas valve cpl. ND 055 RG148       |
| B        | 70.00.029 | ►12.B     | Gas valve cpl. WND 055 RG130      |
| 1        | 70.00.222 |           | Air hose fixing device 50mm       |
| 2        | 70.00.028 |           | Blower for burner RG130           |
| 3        | 70.00.067 |           | Blower for burner RG148           |
| 4        | 1008.0750 |           | Hex screw M5x16                   |
| 5        | 1305.0160 |           | Washer A5,3 x 10 mm               |
| 6        | 74.00.310 |           | Flange f. burner blower RG130     |
| 7        | 1105.0122 |           | Hex combination nut M5 V2A        |
| 8        | 70.00.242 |           | Gasket f. steam gen blower RG148  |
| 9        | 74.00.301 |           | Gasket f. blower burner           |
| 10       | 10.00.065 |           | Countersunk screw Torx T20 M4x12  |
| 11       | 70.00.239 |           | Premix chamber gas f. RG148       |
| 12       | 70.00.238 |           | Premix chamber cover gas f. RG148 |
| 13       | 10.00.063 |           | Pan head screw Torx T20 M4x25     |
| 14       | 70.00.246 |           | Pipe gas valve-premix chamber     |
| 15       | 1104.0121 |           | Hex nut M4 self locking           |
| 16       | 10.00.064 |           | Pan head screw Torx T20 M4x30     |
| 17       | 70.00.152 |           | Corrugated hose 160mm             |
| 18       | 70.00.149 |           | Corrugated hose 1100mm            |
| 19       | 70.00.196 |           | Corrugated hose 780mm             |
| 20       | 10.00.061 |           | Pan head screw Torx T20 M4x12     |
| 21       | 74.00.309 |           | Gas connection manifold 3x3/4"    |
| 22       | 1006.0762 |           | Hex screw M6x10                   |
| 23       | 1306.0222 |           | Washer A6.4x15x1.5                |
| 24       | 74.00.221 |           | Automatic ignition controller     |

**Attention!** Individual parts shown might not be used in this component group!

► 15\* Voltage depending parts shown in chapter 15



## CM 202 G

Valid as of G22ME0404 up to G22ME....

Gas unit

### ► 12 Gas parts

12

12 Gas parts


Voltage 1 NAC 230V 50-60Hz

| Item no. | Part no   | Reference | Description                             |
|----------|-----------|-----------|-----------------------------------------|
| 25       | 10.00.062 |           | Pan head screw Torx T20 M4x20           |
| 26       | 70.00.147 |           | Air hose D50x1550mm                     |
| 27       | 70.00.135 |           | Air hose D50x1100mm                     |
| 28       | 2066.0504 |           | Hose clamp 40-60mm                      |
| 29       | 40.01.581 |           | - Kurzschlußbrücke(Jumper)201/202 01/04 |


**Attention!** Individual parts shown might not be used in this component group!

► 15\* Voltage depending parts shown in chapter 15







| Item no. | Part no   | Reference | Description                      |
|----------|-----------|-----------|----------------------------------|
| 1        | 70.00.106 |           | Premix disc gas                  |
| 2        | 70.00.208 |           | Disc premix chamber-blower RG148 |
| 3        | 70.00.220 |           | Gas valve                        |
| 4        | 70.00.108 |           | Disc gas valve-premix chamber    |
| 5        | 70.00.260 |           | Gas nozzle 7mm                   |
| 6        | 70.00.261 |           | O-ring 17x1.5                    |



| Item no. | Part no   | Reference | Description                       |
|----------|-----------|-----------|-----------------------------------|
| 1        | 70.00.031 |           | Gas valve                         |
| 2        | 70.00.255 |           | Premix chamber cover gas f. RG130 |
| 3        | 70.00.030 |           | Premix chamber gas f. RG130       |
| 4        | 70.00.106 |           | Premix disc gas                   |
| 5        | 70.00.256 |           | Disc premix chamber-blower RG130  |




| Item no. | Part no    | Reference | Description                     |
|----------|------------|-----------|---------------------------------|
| A        | _16.00.379 | ►13.A     | - P-Außenkasten CD 202/G 01/04  |
| 1        | 2039.0111  |           | Foot adjustable, metal, 40 x 40 |
| 2        | 1603.0161  |           | Rivet 3,2x6                     |
| 3        | 8450.1310  |           | Spacer ring                     |
| 4        | 8455.1209  |           | Vent cover                      |
| 5        | 2022.0101  |           | Grommet 18 mm                   |
| 6        | 8700.0317  |           | Floor fixing set                |
| 7        | 5006.0213  |           | Glue for floor fixing brackets  |



| Item no. | Part no   | Reference | Description                           |
|----------|-----------|-----------|---------------------------------------|
| 1        | 16.00.333 |           | Top cover                             |
| 2        | 1003.2265 |           | Countersunk self tapping screw 4,2x16 |
| 3        | 1104.0820 |           | Snap nut 4.2mm                        |
| 4        | 1105.0260 |           | Cap nut M5, high shape                |
| 5        | 1305.0160 |           | Washer A5,3 x 10 mm                   |
| 6        | 16.00.158 |           | Side panel right                      |
| 7        | 1603.0166 |           | Rivet 3.2x7,9, CNS closed             |
| 8        | 16.00.139 |           | Side panel left                       |
| 9        | 10.00.102 |           | Hex self tapping screw 4,2x32         |
| 10       | 16.00.383 |           | Back panel                            |
| 11       | 16.00.373 |           | Front panel                           |
| 12       | 1603.0161 |           | Rivet 3,2x6                           |
| 13       | 10.00.069 |           | Slotted pan head screw M6x90          |
| 14       | 2002.0107 |           | Tension spring for front panel        |
| 15       | 16.00.673 |           | Air inlet filter                      |
| 16       | 16.00.384 |           | Bracket for door contact switch       |
| 17       | 2039.0331 |           | Cap for service door                  |
| 18       | 16.00.358 |           | Crossbar front panel                  |
| 19       | 16.00.331 |           | Crossbar top                          |
| 20       | 16.00.115 |           | Rosette                               |
| 21       | 5105.1028 |           | Gasket f. breather tube d=74mm        |
| 22       | 40.00.476 |           | Exhaust channel                       |
| 23       | 16.00.360 |           | Cover f. RS232 interface              |
| 24       | 10.00.103 |           | EJOT PT-screw KA 3.5x10               |
| 25       | 40.00.454 |           | Door switch 1.65m                     |
| 26       | 16.00.338 |           | Edge protection profile               |

**Attention!** Individual parts shown might not be used in this component group!

► 15\* Voltage depending parts shown in chapter 15



| Item no. | Part no   | Reference | Description                           |
|----------|-----------|-----------|---------------------------------------|
| 1        | 60.22.086 |           | Mobile oven rack                      |
| 2        | 1008.0760 |           | Hex screw M8x16                       |
| 3        | 10.00.357 |           | Rubber plug black                     |
| 4        | 1306.0120 |           | Washer A6,4                           |
| 5        | 10.00.448 |           | Phillips countersunk-head screw M5x16 |
| 6        | 1106.0360 |           | Cap nut M6, high shape                |
| 7        | 2049.0817 |           | Sticker, Equipotential bonding        |
| 8        | 5006.0202 |           | Loctite IS 495                        |



CM 202 G

Valid as of up to .....

Gas unit

► 15 Voltage depending parts

0

0 Voltage depending parts

Voltage 1 NAC 230V 50-60Hz

| Item no. | Part no | Reference | Description |
|----------|---------|-----------|-------------|
|----------|---------|-----------|-------------|

**Attention!** Individual parts shown might not be used in this component group!

► 15\* Voltage depending parts shown in chapter 15



xxxx

0 xxxx

0

Elektrogeräte

► 0 xxxx

0

Gültig von  
xxxx

bis:  
xxxx

Spannung: xxxx

**Attention!** Individual parts shown might not be used in this component group!

► 15\* Voltage depending parts shown in chapter 15